





Page 1 of 18

Table of Contents

Pricing	2
Packages	3
A-Spec® Package	3
Technology Package	4
Type S	5
Specifications	6
Standard Features	13
Warranties	16
Disclaimers	17

© 2 0 2 6 A c u r a





Pricing

2026 INTEGRA TRIM LEVELS (Configuration Options)

Integra 1.5L VTEC Turbo CVT	Starting at: \$33,400 ¹
Integra 1.5L VTEC Turbo with A-Spec® Package CVT	Starting at: \$35,9501
Integra 1.5L VTEC Turbo with A-Spec® and Technology Packages CVT	Starting at: \$39,200 ¹
Integra 1.5L VTEC Turbo with A-Spec® and Technology Packages 6MT	Starting at: \$39,200 ¹
Integra Type S 2.0L VTEC Turbo 6MT	Starting at: \$53,4001





Packages

A-Spec® Package

Exterior	
	18 x 8 inch Berlina Black Wheels
	A-Spec Aero Exterior Sport Appearance Package
	LED Fog Lights
	Gloss Black Tailgate Spoiler
	A-Spec Emblem on Front Fenders and Tailgate
	Double Apex Blue Pearl Color Option
Interior	
	A-Spec Interior Sport Appearance Package
	A-Spec Emblem on Steering Wheel
	Exclusive A-Spec Digital Cluster Illumination
	Ambient LED Door Accent
	Stainless Steel Sport Pedals
	Metal Film Trim
	Red Interior Color Option
	Orchid Interior Color Option





Technology Package

Adds to or replaces A-Spec Package Features

Adaptive Damper System

Welcome Lights

LED Side Mirror-Integrated Directional Signals with Reverse Gear Tilt Down

Microsuede-Trimmed Front Seats with Exclusive Stitch

Front 12-Way Power Driver's Seat with Power Lumbar Support

2-Position Driver's Seat Memory

Front 4-Way Power Passenger's Seat

Dual-Zone Automatic Climate Control System

ELS STUDIO 3D®32 Premium Audio System with 16 Speakers

5.3-inch Head-Up Display (HUD)

Alexa Built-in¹²¹

SiriusXM® Satellite Radio4

HD Radio®

USB-A 2.5A Data Port (1) Front Seats

USB-C 3A Charge only (1) Front Seats

USB-C 3A Charge only (2) Rear Seats

Wi-Fi Hotspot Capability¹⁰⁰

AcuraLink® Connected Services62

Parking Sensors (front and rear)

Rain-Sensing Windshield Wipers

Low-Speed Braking Control





Type S

Adds to or replaces Technology Package Features

Type S Exterior Sport Appearance Package

Type S Triple Exhaust Outlets

Dual AXIS Strut Front Suspension

Active Exhaust Valve (AEV)

19 x 9.5 inch Shark Gray Wheels

265/30 ZR19 93Y Summer Tires

Brembo® 4-Piston Aluminum Front Brake Calipers 157

Adaptive Damper System

Welcome Lights

LED Side Mirror-Integrated Directional Signals with Reverse Gear Tilt Down

Moonroof Delete

Type S Interior Sport Appearance Package

Leather and Aluminum Shift Knob

Front 12-Way Power Seat with Power Lumbar Support Driver's Seat

Perforated Ultrasuede®-Trimmed Front Seats with Type S Embossed Headrest

Ambient LED Door Accent

ELS STUDIO 3D®32 Premium Audio System with 16 Speakers

5.3-inch Head-Up Display (HUD)

SiriusXM® Satellite Radio4

HD Radio®

USB-A 2.5A Data Port (1) Front Seats

USB-C 3A Charge only (1) Front Seats

Parking Sensors (front and rear)

Rain-Sensing Windshield Wipers





Specifications

Integra Engine

Engine Type	In-Line 4 Cylinder with Turbocharger
Displacement	1.5-liters
Valvetrain	16-Valve, DOHC VTEC®
Horsepower ¹⁴¹	200 @ 6000 rpm
Torque (lb-ft)	192 @ 1800-5000 rpm
Redline	6500 rpm
Compression Ratio	10.3:1
Bore and Stroke (mm)	73.0 x 89.5
Fuel Injection	Direct
Idle Stop	
CARB Emissions Rating CVT: 6-Speed Manual:	
Acura Maintenance Program ¹⁹⁹	1-year / 12,000-mile
Tune-Up Interval ³	100,000 +/- miles No Scheduled Tune-Ups

Type S Engine

Engine Type	In-Line 4 Cylinder with Turbocharger
Displacement	2.0-liters
Valvetrain	16-Valve, DOHC VTEC®
Horsepower ¹⁵⁰	320 @ 6500 rpm
Torque (lb-ft) ₁₅₁	310 @ 2600-4000 rpm
Redline	7000 rpm
Compression Ratio	9.8:1







Bore and Stroke (mm)	86.0 x 85.9
Fuel Injection	Direct
CARB Emissions Rating	LEV3-ULEV50
Acura Maintenance Program ₁₄₂	1-year / 12,000-mile
Tune-Up Intervals	100,000 +/- miles No Scheduled Tune-Ups



Helical Limited-Slip Differential



Integra Drivetrain

Туре		Front-Wheel Drive	
Transmission		Continuously Variable Transmission (CVT) with Paddle Shifters	
Ratio Range		2.645 – 0.405	
Reverse		1.859 – 1.265	
Final Drive		5.048	
Transmission		6-Speed Manual Transmission	
Rev-Match Control			
Gear Ratios (:1)			
	1 st	3.643	
	2 nd	2.080	
	3 rd	1.361	
	4 th	1.024	
	5 th	0.830	
	6 th	0.686	
	Reverse	3.673	
	Final Drive	4.353	





Type S Drivetrain

Transmission	6-Speed Ma	nual Transmission	
Rev-Match Control			
Gear Ratios (:1)			
	1 st	3.625	
	2 nd	2.115	
	3 rd	1.529	
	4 th	1.125	
	5 th	0.911	
	6 th	0.734	
	Reverse	3.757	
	Final Drive	3.842	
Lightweight Single-Mass Flywheel			
Helical Limited-Slip Differential			





Chassis

Suspension Integra Type S MacPherson Strut Front / Multi-Link Rear Dual AXIS Strut Front / Multi-Link Rear Dual AXIS Strut Front / Multi-Link Rear Dual AXIS Strut Front / Multi-Link Rear A-Spec WTechnology and Type S Front Stabilizer Bar Rear Dynamics System Rear Stabilizer Bar Rear Stabilizer Bar A-Spec Barbel (Comfort, Normal, Sport) Rear Stabilizer System, Individual) Rear Stabilizer Bar System System System System System (Rear System System System (Rear System System (ABS)) Rear System System System (Res) Rear Stabilizer Bar System System (Rear System System System System (Rear System System System System System System System (Rear System System System System System System System (Rear System	Onassis		
Front Stabilizer Bar Integra Type S 27.0 x 4.5 mm (tubular)	Suspension		
Pront Stabilizer Bar Type S 29.0 x 5.0 mm (tubular) Integra A-Spec Type S Integra Stabilizer Bar Rear Stabilizer Bar Integra A-Spec Type S Integrated Dynamics System (IDS) Integrated Dynamics System (IDS) Integrated Dynamics System (IDS) Integrated Dynamics System (IDS) Integra A-Spec W/Technology Type S Integra A-Spec W/Technology Type S Integra 11.33:1 A-Spec W/Technology Type S Integra 11.32:1 Integra 11.32:1 Integra 11.52:1 Integra 238.1 ft 39.7 ft Integra 12.3-in ventilated Integra 13.8-in ventilated Integra 13.8-in ventilated Integra 12.0-in solid Integra A-Spec 11.1-in solid Integra Interpretation Integra Integr	Adaptive Damper System		A-Spec w/Technology and Type S
Rear Stabilizer Bar	Front Stabilizer Bar		
Steering Steering (EPS) Integrated Dynamics System (IDS) Integrated Dynamics System (A-Spec W/Technology Type S A-Spec W/Technology Type S A-Spec W/Technology 4-mode (Comfort, Normal, Sport, Individual) 4-mode (Comfort, Sport, Sport+, Individual) 4-mode (Comfort, Sport, Sport+, Individual) Steering ratio Integra 11.33:1 11.52:1 11.52:1 11.62.1 Turning Diameter, Curb to Curb Integra 38.1 ft 39.7 ft 11.62.1 Front Disc Brakes Integra 12.3-in ventilated 13.8-in ventilated 13.8-in ventilated 11.1-in solid 12.0-in solid Electro-Servo Brake (ESB) System Anti-lock braking system (ABS) Electronic Brake Distribution (EBD) Brake Assist Automatic Brake Hold Integra 17-in Silver w/Machine-Finish Wheels A-Spec 18-in Berlina Black Type S 19-in Shark Gray Integra 215/50 R17 91H All-Season	Rear Stabilizer Bar	A-Spec	18.0 mm (solid)
A-Spec w/Technology Type S 4-mode (Comfort, Normal, Sport, Individual)	Steering		
Steering ratio A-Spec Type S 11.52:1 Type S 11.62.1 Turning Diameter, Curb to Curb Integra Type S 39.7 ft Front Disc Brakes Integra Type S 13.8-in ventilated 13.8-in ventilated 13.8-in ventilated 15.0-in solid Front Disc Brakes Integra Type S 11.1-in solid 15.0-in solid Electro-Servo Brake (ESB) System Anti-lock braking system (ABS) Electronic Brake Distribution (EBD) Brake Assist Automatic Brake Hold Integra 17-in Silver w/Machine-Finish Wheels A-Spec 18-in Berlina Black Type S 19-in Shark Gray Integra 215/50 R17 91H All-Season		A-Spec w/Technology	4-mode (Comfort, Normal, Sport, Individual)
Type S 39.7 ft Front Disc Brakes Integra Type S 13.8-in ventilated 13.8-in ventilated 13.8-in ventilated Rear Disc Brakes Integra Type S 11.1-in solid 12.0-in solid Electro-Servo Brake (ESB) System Anti-lock braking system (ABS) Electronic Brake Distribution (EBD) Brake Assist Automatic Brake Hold Integra 17-in Silver w/Machine-Finish Wheels A-Spec 18-in Berlina Black Type S 19-in Shark Gray Integra 215/50 R17 91H All-Season	Steering ratio	A-Spec	11.52:1
Rear Disc Brakes Type S 13.8-in ventilated Integra Type S 11.1-in solid Type S 12.0-in solid Electro-Servo Brake (ESB) System Anti-lock braking system (ABS) Electronic Brake Distribution (EBD) Brake Assist Automatic Brake Hold Integra 17-in Silver w/Machine-Finish Wheels A-Spec 18-in Berlina Black Type S 19-in Shark Gray Integra 215/50 R17 91H All-Season	Turning Diameter, Curb to Curb		
Type S 12.0-in solid Electro-Servo Brake (ESB) System Anti-lock braking system (ABS) Electronic Brake Distribution (EBD) Brake Assist Automatic Brake Hold Integra 17-in Silver w/Machine-Finish Wheels A-Spec 18-in Berlina Black Type S 19-in Shark Gray Integra 215/50 R17 91H All-Season	Front Disc Brakes		
Braking Systems Anti-lock braking system (ABS) Electronic Brake Distribution (EBD) Brake Assist Automatic Brake Hold Integra 17-in Silver w/Machine-Finish A-Spec 18-in Berlina Black Type S 19-in Shark Gray Integra 215/50 R17 91H All-Season	Rear Disc Brakes		
Wheels A-Spec 18-in Berlina Black Type S 19-in Shark Gray Integra 215/50 R17 91H All-Season	Braking Systems		Anti-lock braking system (ABS) Electronic Brake Distribution (EBD) Brake Assist
Type S 19-in Shark Gray Integra 215/50 R17 91H All-Season		Integra	17-in Silver w/Machine-Finish
Integra 215/50 R17 91H All-Season	Wheels	A-Spec	18-in Berlina Black
		Type S	19-in Shark Gray
Tires A-Spec 235/40 R18 91W All-Season		Integra	215/50 R17 91H All-Season
	Tires	•	
Type-S 265/30 ZR19 93Y Summer		Type-S	265/30 ZR19 93Y Summer





Exterior Dimensions

Exterior Billionologo		
Wheelbase		107.7 in
Longth		185.8 in
Length	Type S	186.0 in
Height	Integra	
neight	Type S	55.4 in
Width	Integra	
width	Type S	74.8 in
Front Track	Integra	
Tronc Track	Type S	64.0 in
Rear Track	Integra	
Tiedi Tidek	Type S	63.5 in
Ground Clearance (unladen)	Integra	
Ground Glourance (amadem)	Type S	4.0 in
Interior Dimensions		
Headroom	Front:	37.6 in
	Rear:	36.4 in
Legroom	Front:	42.3 in
Legroom	Rear:	37.4 in
Hiproom	Front:	54.3 in
——————————————————————————————————————	Rear:	48.9 in
Shoulder Room	Front:	57.0 in
Siloulder noofil	Rear:	56.0 in
EPA Passenger Volume		95.8 cu ft
EPA Cargo Volume ⁴⁶ (SAE)		24.3 cu ft





Fuel Economy Ratings, Capacities and Weights

EPA Fuel Economy Ratings ²⁰⁶ (city / highway / combined)	Integra A-Spec, A-Spec w/Technology CVT A-Spec w/Technology 6MT Type S	29 / 37 / 32 29 / 37 / 32 26 / 36 / 30 21 / 28 / 24
Recommended Fuel ¹⁹	Integra Type S	Premium Unleaded 91 Octane Premium Unleaded 93 Octane
	Integra	3084 lb
	A-Spec	3109 lb
Curb Weight	A-Spec w/Technology CVT	3150 lb
	A-Spec w/Technology 6MT	3073 lb
	Type S	3219 lb
Weight Distribution (% front / rear)	CVT 6MT Type S	61 / 39 60 / 40 62 / 38
Fuel Tank Capacity		12.4 U.S. gallons
Maximum Seating Capacity	Integra Type S	5 4





Standard Features

Exterior Features

Moonroof with Tilt and Slide Function

Jewel Eye® LED Headlights

Chicane™ Daytime Running Lights (DRL)

Chicane™ LED Taillights

Heated Side Mirrors

Capless Fuel Fill

Interior Features

Keyless Access (System)

Pushbutton Ignition

Leatherette-Trimmed Front Seats

Front 8-Way Power Driver's Seat

Heated Front Seats

60/40 Split Fold-Down Rear Seatback

Tilt and Telescopic Steering Column

Leather-Wrapped Steering Wheel

Steering Wheel-Mounted Controls

Ambient LED Cabin Lighting

Automatic Dimming Frameless Rearview Mirror

12-Volt Power Outlets (Front Center Console)





Audio & Connectivity

9-inch Touchscreen Display

10.2-inch Digital Instrument Cluster

Acura Premium Audio System with 8 Speakers

Bluetooth®11 Streaming Audio

Bluetooth®11 HandsFreeLink® Wireless Telephone Interface

Smart Entry with Walk Away Auto® (Front Door and Tailgate)

Wireless Charging Pad (Qi)

Wireless Apple CarPlay® Integration51

Wireless Android Auto™ Integration52

Driver Convenience

Hill Start Assist

Electric Parking Brake with Automatic Brake Hold

Cruise Control

Auto-On/Off Headlight Operation with Wiper Integration

Auto High-Beam Headlights

Safety & Driver Assistive Technologies

Forward Collision Warning (FCW) System

Lane Keeping Assist System (LKAS)59

Adaptive Cruise Control (ACC) with Low-Speed Follow⁵³ (CVT)

Adaptive Cruise Control (ACC) (6-Speed Manual Transmission)

Road Departure Mitigation (RDM) System¹¹⁵

Collision Mitigation Braking System™ (CMBS™)61 with Advanced Pedestrian Detection112

Post-Collision Braking (CVT)







Lane Departure Warning (LDW) System⁵⁶

Traffic Jam Assist (CVT)

Traffic Sign Recognition

Rear Camera with Dynamic Guidelines

Next-Generation Advanced Compatibility Engineering™ (ACE™) Body Structure

Advanced Front Airbags (SRS)41

Advanced Front Side Airbags

Advanced Front Knee Airbags

Side Curtain Airbags

Rear Outboard Passenger's Side Airbags

Seat-Belt Reminder for all Seating Positions

Vehicle Stability Assist™ (VSA®)12 with Traction Control

Anti-Lock Braking System (ABS)

Electronic Brake Distribution (EBD)

Brake Assist

Tire Pressure Monitoring System (TPMS) with Tire Fill Assist and Location and Pressure Indicators

Tire Repair Kit (TRK)





Warranties

Vehicle ¹⁶	4-year / 50,000-mile limited warranty
Powertrain ¹⁶	6-year / 70,000-mile limited warranty
Outer body rust-through	5-year / unlimited-mile limited warranty
Acura Genuine Accessories ¹⁷	4-year / 50,000-mile limited warranty
Acura Total Luxury Care® (TLC) with Roadside Assistance18	4-year / 50,000-mile





Disclaimers

- 1 Prices shown are Acura suggested retail prices only and do not include taxes, license or destination and handling charge.

 Destination & Handling charge for cars is \$1,195 and SUVs is \$1,350. Premium Paint colors are \$600 and not included. Acura vehicle accessory costs, labor and installation vary. Dealers set their own prices. Please consult your selected dealer.
- 3 Does not apply to fluid and filter changes or periodic inspections. Please refer to the maintenance section of your owner's manual to determine all appropriate maintenance intervals.
- 4 SiriusXM requires a subscription after any trial period. If you decide to continue your SiriusXM service at the end of your trial subscription, the plan you choose will automatically renew and bill at then-current rates until you call SiriusXM at 1-866-635-2349 to cancel. See our Customer Agreement for complete terms at www.siriusxm.com. Fees and programming subject to change. Available in the 48 contiguous United States and D.C.. SiriusXM and all related marks and logos are trademarks of SiriusXM Radio Inc.
- 11 The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks is under license.
- 12 VSA is not a substitute for safe driving. It cannot correct the vehicle's course in every situation or compensate for reckless driving. Control of the vehicle always remains with the driver.
- 16 Ordinary maintenance items or adjustments, parts subject to normal wear and replacement, and certain other items are excluded.
- 17 When installed at the time of new-vehicle delivery. Installation or use of non-Acura-genuine accessories that results in vehicle damage is not covered under otherwise applicable warranties.
- 18 See your local dealer for details about Total Luxury Care® (TLC), Roadside Assistance, and Concierge Service.
- 19 Some models require premium fuel and for others, it's recommended. Consult your dealer for details.
- 20 The system is not a substitute for your own visual assessment before changing lanes; system accuracy will vary based on weather, size of object and speed.
- 32 ELS Studio® is a registered trademark of Panasonic Corporation of North America. All rights reserved.
- 41 Acura reminds you and your passengers to always buckle up. Children 12 and under are safest when properly restrained in the rear seat.
- 46 Based on SAE J1100 cargo volume measurement standard.
- 51 Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy for details regarding Apple's use and handling of data uploaded by CarPlay. Use of CarPlay is at user's own risk, and is subject to agreement to the CarPlay terms of use, which are included as part of the Apple iOS terms of use. CarPlay vehicle integration is provided "as is," and Honda cannot guarantee CarPlay operability or functionality now or in the future due to, among other conditions, changes in CarPlay software/Apple iOS, service interruptions, or incompatibility or obsolesce of vehicle-integrated hardware or software. See dealer for details.
- 52 Depending on use, Android Auto can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with Google and its service providers. See Google privacy policy for details regarding Google's use and handling of data uploaded by Android Auto. Use of Android Auto is at user's own risk, and is subject to agreement to the Android Auto terms of use, which are presented to the user when the Android Auto application is downloaded to the user's Android phone. Android Auto vehicle integration is provided "as is," and Acura cannot guarantee Android Auto operability or functionality now or in the future due to, among other conditions, changes in Android Auto software/Android operating system, service interruptions, or incompatibility or obsolesce of vehicle-integrated hardware or software. See dealer for details. Only use Android Auto when conditions allow you to do so safely.
- 53 Adaptive Cruise Control (ACC) with Low-Speed Follow cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. ACC should not be used in heavy traffic, poor weather or on winding roads. The driver remains responsible for avoiding a collision.





- 56 LDW only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 59 LKAS only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. LKAS may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 61 Collision Mitigation Braking System™ (CMBS™) with Forward Collision Warning (FCW) cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed, and other factors. System operation affected by extreme interior heat. FCW does not apply braking, and CMBS only is designed to mitigate crash forces. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 62 Many AcuraLink features are free of charge. Live call safety & security and mobile interactive features require a subscription. Live concierge requires a separate subscription. Subscriptions available for free three-month trial.
- 76 The Rear Cross Traffic Monitor is not a substitute for your own visual assessment before backing up; system accuracy will vary based on weather, size of object, and speed. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 100 Requires AT&T data plan. Learn more about available data plans here. [https://myvehicle.att.com/#/acura/learn? country=US&language=en] Coverage & service not available everywhere. Fees, terms & restrictions apply.
- 112 CMBS with Pedestrian Detection cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. System designed to mitigate crash forces. Driver remains responsible for safely operating vehicle and avoiding collisions.
- TSR cannot detect all traffic signs and may misidentify certain signs. Accuracy will vary based on weather and other factors. System operation affected by extreme interior heat. Driver remains responsible for complying with all traffic regulations.
- 115 Road Departure Mitigation only alerts drivers when lane drift is detected without a turn signal in use and can apply mild steering torque to assist driver in maintaining proper lane position and/or brake pressure to slow the vehicle's departure from a detected lane. RDM may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 121 Amazon, Alexa and all related marks are trademarks of Amazon, com, Inc, or its affiliates. Certain Alexa functionality is dependent on smart home technology.
- 141 200 hp @ 6000 rpm SAE net
- 150 @ 6500 rpm SAE net
- 151 @ 2600-4000 rpm SAE net
- 199 The Acura Maintenance Program covers the first oil change, tire rotation and multi-point inspection for 2025 and newer vehicles within one year or 12,000 miles, whichever comes first. For additional maintenance information see your vehicle's owner manual. Visit a participating Acura dealer for vehicle eligibility, coverage details and exclusions. Valid only in the United States of America.
- 206 Based on 2026 EPA mileage ratings. Use for comparison purposes only. Your actual mileage will vary, depending on how you drive and maintain your vehicle, driving conditions, and other factors.